

Excerpt from California Health and Safety Code Section 115928

“115928 (d) Whenever a building permit is issued for the remodel or modification of a single family home with an existing swimming pool, toddler pool, or spa, the permit shall require that the suction outlet of the existing swimming pool, toddler pool, or spa be upgraded so as to be equipped with an anti-entrapment cover meeting current standards of the American Society for Testing and Materials (ASTM) or the American Society of Mechanical Engineers (ASME).”

To view the entire code, please visit:

<http://www.leginfo.ca.gov/calaw.html>



"Citrus Capital of the World"

City of Santa Paula

970 Ventura Street • Santa Paula, California • Mailing Address: P.O. Box 569 • 93061 • Phone (805) 525-4478 • Fax (805) 525-6278

Information Bulletin

New State Law: Swimming Pool Safety Act of 2006 (Assembly Bill 2977) Effective January 1, 2007


California Health and Safety Code Section 115928 "(d) Whenever a building permit is issued for the remodel or modification of a single family home with an existing swimming pool, toddler pool, or spa, the permit shall require that the suction outlet of the existing swimming pool, toddler pool, or spa be upgraded so as to be equipped with an anti-entrapment cover meeting the current standards of the American Society for Testing and Materials (ASTM) or the American Society of Mechanical Engineers (ASME)."

To see the full text of this law visit the State of California website at:

http://www.leginfo.ca.gov/pub/05-06/bill/asm/ab_2951-3000/ab_2977_bill_20060926_chaptered.html

This new State law requires that **when a building permit is issued for the remodel or modification of a single-family home** or new or remodeled swimming pool and spa, the permit shall include the installation of an anti-entrapment cover on the suction outlet of the pool or spa located on that property. The anti-entrapment cover shall meet ASTM or ASME standards.

Examples of anti-entrapment drain cover devices for existing pools



Note: Some device installations may require the pool to be empty.

Available at local pool equipment suppliers – cost of some models are less than \$30

To receive final inspection approval, the building inspector will verify the installation of an anti-entrapment device.